

Contents

Acknowledgements.....	5
Kurzfassung der Dissertation	7
Abstract	9
List of symbols	17
1 Introduction	21
2 State of the art	23
2.1 The Formation of Process Induced Deformations	23
2.2 Definition of Deformations modes.....	27
2.2.1 Definition of Spring-In.....	27
2.2.2 Definition of Warpage	27
2.3 Experimental investigation of process induced distortions	28
2.3.1 Process induced distortions in flat specimens.....	28
2.3.1.1 Symmetric laminates	28
2.3.1.2 Unsymmetrical laminates	29
2.3.2 L-brackets.....	29
2.3.3 U-brackets.....	31
2.4 Modelling approaches for Process Induced Distortions.....	31
2.4.1 Analytical Approaches	31
2.4.1.1 Simulation of Spring-In	31
2.4.1.2 Simulation of Warpage.....	32
2.4.2 Phenomenological Approaches	34
2.4.2.1 Simulation of Spring-In	34
2.4.2.2 Simulation of Warpage.....	36
2.4.3 Physical-based Approaches.....	37
2.4.3.1 Incrementally elastic models.....	37
2.4.3.2 Viscoelastic models	37
2.5 Influence of interleaf layers on process induced distortions.....	38
3 Objective	39
4 Experimental Investigations	41
4.1 Material and production process	41
4.2 Flat specimens	41
4.2.1 Investigated Parameters	41
4.2.2 Investigation of influence of tooling on warpage	44

4.2.2.1	Part manufacturing.....	45
4.2.2.2	Distortion measurement.....	45
4.2.2.3	Results and discussion	45
4.2.3	Investigation of the influence of the geometry on warpage	46
4.2.3.1	DoE study configuration	47
4.2.3.2	Degree of cure	47
4.2.3.3	Distortion measurement.....	47
4.3	L-brackets.....	48
4.3.1	Overview of parameters investigated on L-brackets	48
4.3.2	Investigation of layup effects on L-bracket distortions	48
4.3.2.1	Part manufacturing.....	48
4.3.2.2	Degree of cure	49
4.3.2.3	Laminate Morphology	49
4.3.2.4	Thickness Distribution.....	53
4.3.2.5	Process Induced Distortions.....	53
4.3.2.6	Summary and conclusion.....	58
4.3.3	Investigation of the geometry and process effects on L-bracket distortion	58
4.3.3.1	Distortion results	60
4.3.3.2	Degree of cure	61
4.3.3.3	Thickness distribution	63
5	Phenomenologic approach.....	67
5.1	Concept.....	67
5.2	Modelling approach for warpage	68
5.3	Modelling approach for Spring-In	71
5.4	Model validation	74
5.4.1	Flat plates	74
5.4.2	L-brackets.....	75
6	Physical-based approach.....	79
6.1	Material characterization	79
6.1.1	Glass transition temperature and degree of cure.....	79
6.1.1.1	Literature review on the cure kinetic	79
6.1.1.2	Measurements of the glass transition temperature	80
6.1.2	Material stiffness	80
6.1.2.1	Literature review on the material stiffness measurements.....	80
6.1.2.2	Measurements performed to determine the gel point.....	83
6.1.2.3	Measurements to determine the stiffness the material above the gel point	84
6.1.3	Coefficient of thermal expansion	84
6.1.3.1	Literature review.....	84
6.1.3.2	Measurement of the thermal expansion of material above the gel point.....	86

6.1.3.3	Measurement of the thermal expansion of material below the gel point	88
6.1.4	Chemical shrinkage	90
6.1.4.1	Literature review.....	90
6.1.4.2	Measurement of chemical shrinkage using the material density	90
6.1.4.3	Measurement of the chemical shrinkage using the rheometer	92
6.2	Homogenization approach considering interleaf layers	96
6.2.1	Micro-scale rules of mixture	96
6.2.1.1	CFRP-layer	96
6.2.1.2	Interleaf-layer	97
6.2.2	Meso-scale rules of mixture.....	97
6.2.2.1	Elastic modulus.....	98
6.2.2.2	Poisson's ration.....	101
6.2.2.3	Shear modulus	103
6.2.2.4	Thermal expansion.....	104
6.2.2.5	Chemical shrinkage	107
6.2.3	Discussion of the derived mixture rules	109
6.3	Material model	112
6.3.1	Cure kinetics.....	112
6.3.1.1	Literature review.....	112
6.3.1.2	Applied cure kinetics model	113
6.3.2	Glass transition temperature	115
6.3.2.1	Literature review.....	115
6.3.2.2	Applied model for the glass transition temperature.....	116
6.3.3	Stiffness.....	116
6.3.3.1	Literature review.....	116
6.3.3.2	Newly developed model for the stiffness of the matrix.....	119
6.3.4	Thermal expansion.....	123
6.3.4.1	Literature review.....	123
6.3.4.2	Newly developed model for the thermal expansion	123
6.3.5	Chemical shrinkage	125
6.3.5.1	Literature review.....	125
6.3.5.2	Applied model for the chemical shrinkage.....	125
6.4	Modeling of Tool-Part-Interaction	128
6.4.1	Literature review on Tool-Part-Interaction	128
6.4.1.1	Experimental investigation of tool-part-interaction	128
6.4.1.2	Modeling approaches for Tool-Part-Interaction	129
6.4.2	Applied model for Tool-Part-Interaction	129
6.5	Validation	130
6.5.1	Simulation of flat specimen	130
6.5.2	Simulation of L-brackets.....	130
6.6	Recommended approach for physical based simulation	132

7	Application	135
7.1	Scope of this chapter	135
7.2	Experimental investigations.....	135
7.2.1	Description of the investigated part	135
7.2.2	Manufacturing	135
7.2.3	Distortion measurement	137
7.3	Phenomenologic simulation	139
7.3.1	Model description	139
7.3.2	Results.....	140
7.4	Physical based simulation.....	140
7.4.1	Model description	140
7.4.2	Results.....	141
8	Summary and Conclusion	143
8.1	Summary	143
8.2	Conclusion	143
8.3	Outlook	144
A	Process induced distortion measurements	147
A.1	Flat specimens	147
A.2	L-brackets.....	148
A.2.1	Investigation of different layouts.....	148
A.2.2	Investigation of process and geometry effects.....	161
B	Mesh-Study	163
B.1	Overview of element formulations in Abaqus Standard	163
B.2	Mesh investigation on spring-in simulation.....	163
B.3	Mesh investigation for bending modes	168
B.4	Mesh investigations on the warpage deformation	169
B.5	Recommendations for the element-size and mesh densities	170
C	Phenomenologic simulation	173
C.1	Determined effects for the linear substitution model of L-brackets.....	173
D	Material characterization	175
D.1	Chemical shrinkage measurements	175
D.1.1	Shrinkage determination by density measurements	175
D.1.2	Shrinkage determination by rheometer measurements	175
D.1.3	Parameters used for the material model	176
E	Tool-Part-Interaction	177
E.1	Simulation results for the determination of the linear substitution model	177
F	Co-Supervised Student Theses	179

References180