

Contents

List of Symbols	xv
List of Figures	xxi
List of Tables	xxv
1 Introduction: Spray Drying and Reactive Drying Processes	1
1.1 Spray Polymerisation	2
1.2 Single Droplet Models for Spray Drying	3
1.3 Meshfree Methods, Simulation of Structure Evolution	4
1.3.1 Previous Applications of SPH to Drying	5
2 Theoretical Principles	7
2.1 Transport Equations	7
2.1.1 Transport in a Mass Averaged System	9
2.1.2 Transport in a Molar Averaged System	13
2.1.3 Reference Velocities and Conversion between Systems .	13
2.1.4 Eulerian and Lagrangian Frames of Reference	16
2.2 Diffusion	17
2.2.1 Fickian Diffusion	17
2.2.2 Maxwell-Stefan Diffusion	19
2.2.3 Determination of Diffusion Coefficients	21
2.3 Modelling of Free Radical Polymerisation	21
2.3.1 Reactions in Free Radical Polymerisation	22
2.3.2 Quasi-Steady-State Assumption (QSSA)	27
2.3.3 Method of Moments	28

2.4	Mixture Thermodynamics	31
2.4.1	Vapour Liquid Equilibrium at the Droplet's Surface	32
2.4.2	Calculation of Activity Coefficients	33
2.4.3	The UNIFAC Equations	34
2.5	Spray Drying: Basic Assumptions	35
2.5.1	Approximate Residence Time in a Spray Dryer	36
2.5.2	Heat and Mass Transfer	37
2.5.3	Inner Circulation Inside a Droplet	38
2.5.4	Are Droplets Fully Mixed?	40
3	Modelling of Reactive Droplet Drying and Polymerisation	41
3.1	Transport in a Reaction-Diffusion System	42
3.1.1	Constant Physical Properties	44
3.1.2	Consideration of Mixture Effects	46
3.1.3	Diffusion and Reaction Driven Convection at Variable Molar Weights	47
3.1.4	Transport of Polymer - Quasi-Steady-State Assumption .	50
3.1.5	Transport of Statistical Moments	52
3.2	Lumped Modelling - 0D approach	56
3.2.1	General Equations for Reactive Spray Drying	57
3.2.2	Spray Polymerisation - Quasi-Steady-State Assumption	58
3.2.3	Spray Polymerisation - Method of Moments	59
3.3	Distributed Modelling - 1D approach	60
3.3.1	General Equations of the Droplet Continuum	60
3.3.2	Boundary Conditions	62
3.3.3	Spray Polymerisation - QSSA	66
3.3.4	Spray Polymerisation - Method of Moments	68
3.4	Comparison with Existing Models	69
3.5	Implementational Considerations	70
3.5.1	Implementation of the Moving Boundary Problem	70
3.5.2	Boundary Conditions	71
3.5.3	Treatment of Convection Terms	72
3.5.4	Implementation of Diffusion	75
3.6	Verification of the Transport Approach	76
3.6.1	Diffusion Driven Convection, Constant Properties	76
3.6.2	Diffusion Driven Convection, Variable Molar Weight . .	79

3.6.3	Diffusion Driven Convection, Excess Volumes	82
3.6.4	Reaction Induced Convection	85
4	Simulation of Spray Polymerisation	87
4.1	Kinetics and Process Conditions	88
4.2	Lumped Simulation of Droplet Polymerisation	92
4.2.1	Principle Course of the Process - Plain Kinetics, no Monomer Evaporation	92
4.2.2	Effects of Kinetics on the Process	94
4.3	Spatial Effects in Droplet Polymerisation	98
4.3.1	Effect of the Diffusion Coefficient on Concentration Gradients	99
4.3.2	Inhomogeneities of the Product at Small Diffusion Coefficients, Effect of Moments' Diffusion	102
4.3.3	Effect of Monomer Evaporation	106
4.3.4	Pre-polymerisation Before Atomisation	111
4.3.5	Polymerisation at Elevated Monomer Content in the Drying Gas	116
4.3.6	Influence of Non-Ideality of Activities	122
4.3.7	Interaction with the drying gas	125
4.3.8	Applicability of the QSSA model	131
4.4	Summary of Basic Findings on Droplet Polymerisation	133
4.5	Process Evaluation, Numerical DoEs	135
4.5.1	DoEs' Setup and Evaluation	135
4.5.2	Droplet Polymerisation with Solvent in the Feed	138
4.5.3	Bulk Polymerisation within a Droplet	142
4.5.4	Bulk Feed with Pre-Polymerisation before Atomisation .	149
4.6	Discussion and Suggestions for Further Research	153
5	SPH and its Application to Single Droplet Slurry Drying	155
5.1	Mathematical Derivation	156
5.1.1	SPH Interpolation	156
5.1.2	Integral Approximations	159
5.1.3	First Derivatives	160
5.1.4	Laplace-Operator and Divergence of Diffusive Fluxes .	162
5.1.5	General Second Derivatives	165
5.1.6	Choice of Kernel, Smoothing Length and Cut-off Radius	165

5.1.7	Correction of the SPH Approximation	168
5.2	Implementation of Boundary Conditions	169
5.2.1	Ghost Particles	169
5.2.2	Insertion of Boundary Conditions into SPH Equations	171
5.2.3	Repulsive Forces as Hard Sphere Boundaries	172
5.3	Hydrodynamics of an Incompressible Liquid in SPH	173
5.3.1	Continuity Equation, Density Evaluation	173
5.3.2	Momentum Balance	175
5.3.3	Weakly Compressible SPH	178
5.4	Incompressible SPH	179
5.4.1	Boundary Conditions in ISPH	182
5.4.2	Boundaries by the Ghost Technique, Wall Boundaries	182
5.4.3	Free Surface Boundaries in ISPH	183
5.4.4	Modifications to ISPH in This Work	184
5.5	Surface Tension and Wetting	189
5.5.1	The Interparticle Force Approach	190
5.5.2	The Concept of Surface-Lateral Particle Forces	195
5.6	Representation of the Solid Phase	200
5.6.1	Primary Particles in the Slurry	200
5.6.2	Calculation of Crust Formation	202
5.7	Modelling of Drying Phenomena in SPH	205
5.7.1	Heat Conduction	205
5.7.2	Implementation of Linear Driving Force based Heat and Mass Transfer into SPH	205
5.7.3	Extension to the Second Drying Period	208
5.7.4	Treatment of Evaporation Concerning Particle Mass and Deletion	209
5.7.5	Modelling of Diffusion Driven Drying Involving the Gas Phase	210
5.8	Time Integration	213
5.8.1	Stability Criteria in Explicit Time Stepping	214
5.8.2	Time Stepping Criteria Employed in This Work and Their Reference Length	216
5.8.3	Implicit Solution of Diffusive Equations	218
5.8.4	Initialisation of an SPH Calculation	220

6 Validation of the SPH Implementation	221
6.1 Implicit Solution of Heat Conduction	221
6.2 Heat and Mass Transfer by Linear Driving Forces	224
6.2.1 Heat Transfer to a Unilaterally Heated Rod	224
6.2.2 Coupled Heat and Mass Transfer: Droplet Evaporation .	226
6.3 Diffusion Driven Drying by SPH-Grid Coupling	228
6.4 SPH Flow Solver	230
6.4.1 ISPH Solution of a Standing Water Column	230
6.4.2 Free Surface Flow	231
6.4.3 Surface Tension Approach of Pairwise Forces	234
6.4.4 Wetting Phenomena	237
7 Simulation of Structure Evolution During Drying	243
7.1 Simulation of the First Drying Period	243
7.2 Simulation of Crust Formation	245
7.2.1 Simulation of the Second Drying Period without Crust Formation	245
7.2.2 Crust Formation by Caught on First Touch	247
7.2.3 Crust Formation Determined by the Water Content .	249
7.2.4 Effect of the Density Correction	250
7.3 Influence of Adjustable Parameters on the Structure	251
7.4 Effect of the Temperature	256
7.5 Variation of the Resolution	259
7.6 Drying of a Microporous Structure	261
7.7 Comments on numerical efficiency	267
8 Conclusion	269
A Numerical Regression by Gaussian Processes	273
B FVM Implementation of the Droplet Polymerisation Model	277
C Implementational Aspects of SPH	281
C.1 Neighbourhood Search	281
C.1.1 Linked List	281
C.1.2 Verlet List	282
C.2 Performance Aspects, Memory Alignment	282